Respiratory Protection



Force® Typhoon™ 8 Half Mask Respirator Pack ABEK1P2 - Medium BHT0C3-0L5-NAN





DESCRIPTION

The Force Typhoon™ 8 twin cartridge half mask with Typhoon™ valve offers superior low breathing resistance and incorporates a 4-point suspension harness with quick release buckles.

PressToCheck™ is the easiest way to face-fit check the seal of your respirator, every time you put it on! F-4713 ABEK1P2 multi- gas / vapour + dust replacement encapsulated filters feature HEPA filtration exceeding 99.97%, Low profile design maximising compatibility and low breathing resistance.

SAFETY STANDARDS

AS/NZS 1716

FEATURES

- suspension ensuring an effective facial fit.
- The low-profile, swept-back design enables excellent visibility, allowing filters to be worn effectively behind all types of faceshield and welding visor.
- The Force Typhoon™ 8 half mask has been meticulously engineered to incorporate a small number of key components. Disassembly, cleaning and maintenance are effortless with replacement parts available if necessary.
- Durable thermoplastic rubber mask with fully adjustable 4-point cradle Low resistance exhalation valve for easy breathing. Made from silicone it performs well at very low temperatures.
 - PressToCheck[™] encapsulated filters offer ultimate longevity the durable design makes the filters easy to clean and reuse. Correct cleaning, maintenance and storage increases the useful life of the product.
 - Kit includes: 1 x Force Typhoon™ 8 Half Mask Respirator (medium) BHT003-0L5-0AN and 2 x ABEK1P2 multi- gas / vapour + dust replacement encapsulated filters BMN750-000-6AN



SPECIFICATIONS (MASK: BHT003-0L5-OAN)

Usage

R

Mask Design

Single Piece Over-Moulded Twin Filter Half Mask

4 Point Harness adjustment system

Yes

Mask Material

Thermoplastic Elastomer & Acrylonitrile Butadiene Styrene (ABS)

Metal Free

Yes



Exhalation Valve

Typhoon Valve



Nose Bridge

Moulded



BSI Kitemark

Yes

Latex free

Yes



Product Weight

M = 87g

SPECIFICATIONS (FILTER: BMN750-000-6AN)

Classification

ABEK1P3

Usage

R (Reusable)



Activated Carbon Layer

Yes

Latex free

Yes

Filter Material

Pleated Media & Activated Carbon

Filter Shelf Life

10 Years

Filter Casing Material

ABS



BSI Kitemark

Yes

 ∇

Filter Type

Organic, Inorganic, Acidic, Amonia Vapours and

Particulate

(D) Resistance to dust clogging

Yes – D marking = passes optional clogging test

Minimum Filtration Efficiency

99.95% For P Rated

Maximum Total Inward Leakage (TIL)

2% when fitted to Force® Typhoon™ 8 Half Mask

Nominal Protection Factor

12 When Fitted To A Force8 Half Mask

UK Assigned Protection Factor

10 When Fitted To A Forec8 Half Mask

Press To Check Technology

Metal Free

Yes

APPLICATIONS

General guidance only and should not be considered a substitute for a full risk assessment

Aerospace	Agricultural
Airports	Construction and Infrastructure
Facilities Management	Food and Drink Management
Hospitals, Healthcare & Pharmaceuticals	Law Enforcement
Manufacturing	Maritime
Mining Aggregates and Quarrying	Oil, Gas and Chemical Companies
Rail and Tunneling	Renewable, Wind and Solar Energy
Scaffolding and Roofing	Sole Trader
Utilities Contractors	Welding

