

PRATT TOXIC SUBSTANCE STORAGE CABINET: 100L - 2 DOORS - 1 SHELF

PRATT INDOOR TOXIC SUBSTANCE STORAGE CABINETS COMPLY WITH THE AUSTRALIAN & NEW ZEALAND STANDARD AS/ NZS4452 "THE STORAGE AND HANDLING OF TOXIC SUBSTANCES".

This range of cabinets is for the storage of Toxic Substances in liquid or solid as classified by the United Nations criteria and the ADG Code for Dangerous Goods. These include chemicals such as: Alkaloids, Arsenic, Aniline, Cyanides, Mercury, Phenol - Solid, Trichloroethylene, etc.

FEATURES & BENEFITS:

- Low profile under bench design.
- Constructed of double walled 1.2mm thick galvanised steel.
- 2 x sequential self closing doors fitted with speed adjustable hydraulic closures.
- 1 x 1.6mm thick, perforated, galvanised steel shelf.
- Continual piano type door hinge.
- Overlapping door edging to prevent ingress of heat.
- Adjustable shelf heights at 45mm increments.
- 2 x 50mm vent bungs with steel caps.
- Each vent incorporates steel flash arrester.
- 3 point self latching door mechanism.
- Recessed handle with keyed alike lock with 2 keys.
- External static earth connection and 1 x bonding wire.
- Solvent resistant yellow baked powder coated finish.
- 150mm deep liquid tight sump.
- Palletised and packaged with strong cardboard for protection.
- Toxic Substance diamond and other decals applied.
- Optional additional shelves available.
- Includes set of rubber feet.

- **WEIGHT:** 100kg
- **CAPACITY:** 100L
- **DOORS:** 2
- **SHELVES:** 1 (Inc. Base Level)
- **EXTRA SHELF:** 5535-29S

EXTERNAL (MM)			INTERNAL (MM)		
HEIGHT	WIDTH	DEPTH	HEIGHT	WIDTH	DEPTH
770	935	620	495	840	530

NOTE:
 1. INTERNAL HEIGHT IS TAKEN FROM THE TOP OF THE SUMP SILL/BOTTOM SHELF TO THE CEILING.
 2. FOR TOTAL EXTERNAL WIDTH MEASUREMENT, ADD 6MM PER VENT BUNG FOR TIGHT CLEARANCE LOCATIONS.
 3. AS/NZS 4452 SPECIFIES A MAXIMUM OF 25KG OR L FOR PACKAGING GROUP I & 50KG OR L FOR PACKAGING GROUP II TOXIC SUBSTANCES.



VOLUME CAPACITY	PER SHELF	TOTAL
2L Winchester	18	18
4L Winchester	15	15
4L Round Can	12	12
20L Round Can	4	4